

	<b>DESCRIPCIÓN DESCRIPTION</b>	Rev.00 Año / Year:2016 Pág./Page 1 / 3 ESP / ENG
--	------------------------------------	---

## ASTER TC FILTER RAL 2008



- . Construidos con resinas de poliéster y fibra de vidrio.
- . Excelente acabado.
- . Filtro color Ral 2008.
- . Tapa con tornillos transparente.
- . Montado con colectores de 1" y difusor de material plástico inalterable.
- . Equipado con manómetro, purga de agua manual, purga de aire automática y manual.
- . Conexiones para válvula selectora de seis vías con operaciones de filtración, lavado, enjuague, recirculación, vaciado y cerrado.
- . Presión máxima: 2,5 Kg/cm<sup>2</sup>.

- . Made of polyester resins and glass fiber
- . Excellent finish.
- . Ral 2008 color filter.
- . Transparent lid with screws.
- . Fitted with 1" collector arms and diffuser made from unplasticised.
- . Fitted with pressure gauge, manual water drain automatic and manual air vent.
- . Connections to multiport valve with six positions filter, backwash, rinse, recirculate, waste and closed.
- . Maximum pressure of 2,5 Kg/cm<sup>2</sup>

**TABLA DE CARACTERÍSTICAS  
CHARACTERISTICS TABLE**

Rev.00  
Año / Year:2016  
Pág./Page 2 / 3  
ESP / ENG

**CARACTERÍSTICAS / CHARACTERISTICS**

Código Code	20611FP199	20612FP199	20613FP199
Ø (mm)	500	600	750
Conexión (mm) Connections (inch)	1 1/2"		2"
Velocidad de filtración (m <sup>3</sup> /h/m <sup>2</sup> ) Filtering velocity (m <sup>3</sup> /h/m <sup>2</sup> )	50	50	50
Sup. Filtración (m <sup>2</sup> ) Filtration Area (m <sup>2</sup> )	0,19	0,28	0,44
Caudal (m <sup>3</sup> /h) Flow (m <sup>3</sup> /h)	9	14	22
Presión máxima (kg) Maximum pressure (bar)	2,5	2,5	2,5
Carga arena (0,4-0,8mm) Sand (0,4-0,8mm)	90	125	305
Peso Neto (kg) Net weight (kg)	20	25	33
Piscina (m <sup>3</sup> ) Swimming Pool (m <sup>3</sup> )	72	112	168

**EMBALAGE / PACKAGING**

Model	Box dimension / Dimensiones (m)	Volume (m <sup>3</sup> ) Volumen (m <sup>3</sup> )
500	0,56x0,56x0,85	0,26
600	0,66x0,66x0,86	0,37
750	0,80x0,80x0,93	0,59

**DIMENSIONES**  
**DIMENSIONS**

Rev.00  
Año / Year:2016  
Pág./Page 3 / 3  
ESP / ENG

model	D (mm)	H (mm)	M (mm)	N (mm)	K (mm)
500	530	855	415	290	1 1/2"
600	630	900	455	330	1 1/2"
750	780	1035	555	325	2"

